














Specifications

Make your place in the shade according to your needs and desires





Product video


Curious for more? Scan the QR code to view the product video on your smartphone or go to www.prostor.be.




Fixation

Ground anchor or wall bracket, choose the fixation depending on your garden or patio

GROUND




Steel base With 8 tiles: 130 kg With 12 tiles: 185 kg Not suitable for the XL version **Does not include tiles**




Steel base With 4 tiles: 115 kg With 8 tiles: 215 kg Does not include tiles




Stylish cover for steel base.




Floor plate must be chemical anchored. Weight: 38 kg Fixing materials not included



Floor plate must be chemical anchored. Weight: 30 kg Fixing materials not included



Adjustable ground anchor. Recommended to align multiple sets of P6, it gives you up to 15° tolerance to the left and right.



15.6 cm

Easy to install wall brackets, delivered per 2 pieces. Only for square P6 Uno or P6 Duo. In non-painted galvanized steel. More info: see p. 18

WALL

E

-





Specifications

Choose an umbrella which suits best to the size of your garden or patio




The P7 rotates 300° to provide shade at each time of day


Product video

Curious for more? Scan the QR code to view the product video on your smartphone or go to www.prostor.be.





The integrated rotating element allows you to benefit from the shade at each time of day. *The small axle locks the umbrella into place and prevents it from spinning with the wind.




Fixation

Ground or wall fixation, according to your preference




GROUND



E 0 0 cm

Steel base With 8 tiles: 130 kg With 12 tiles: 185 kg Not suitable for the XL version **Does not include tiles** **Steel base** With 4 tiles: 115 kg With 8 tiles: 215 kg Does not include tiles

WALL






Stylish cover for steel base.



Ground anchor to secure into concrete, made from stainless steel and aluminium.



Тор



Bottom Rotating wall brackets, inclusive pole.

Wall fixation



Fixed wall bracket

The P6 pole can be mounted on the wall easily with 2 brackets. This allows for sun protection without having the pole or steel base sit in the way. Not possible for the Round (RND) version.

SQR Uno 250 m Duo 5.15 m Duo JuoSQR XL Uno 3.00 m Duo 6.15 mDuo



Rotating wall bracket

The P7 pole can also be fitted to the wall with two "rotating" brackets. By following the sun you can choose where you want shade easily, whatever the time of day. The P7 wall umbrella is designed to turn optimally when mounted on a corner. A small axle locks the umbrella into place and prevents it from spinning with the wind.

SQRRNDUno2.50 mUno3.50 mSQR XLUno0.00 m0.00 mUno3.00 mUno4.20 mUno0.00 mUno0.00 m

Easy operation






А

> No matter how strong and robust these umbrellas are, you don't have to be strong to operate them. The patented **One Move System** helps you to open or close the umbrella easily in one single movement. No need to move the table while closing or opening the umbrellas. The umbrella opens or closes above standard tables and chairs.

> The **newly designed gliding wagon** provides more strength and makes the operation much more easier thanks to the ergonomic rotary knob (see A).

• The umbrellas are ultra-light to handle, thanks to the **stainless steel gas spring**, which compensates the weight of the umbrella (see B).

> The P6 umbrella consists of 1, 2, 3 or 4 umbrellas on one pole. Each umbrella can be **operated separately.** You choose where you want shade or sun! This makes the P6 umbrella an ideal hospitality partner. For instance the following configurations are possible:





Finishing

Pole and frame



The 100% aluminium pole and frame contains 5 decorative colours according to 2 different processes: Powder coating and Anodizing.

The powder-coated profiles have a textured finishing. This makes them even more scratch-resistant and maintenance-friendly. The textured coating of the umbrella also offers an unique look. Our colour range includes grey (RAL 9007), black (RAL 9005) or white (RAL 9016).

Anodizing is the second process to provide aluminium profiles with colour. Typical for anodization is that the original structure of the aluminium is retained. The anodizing process ensures a durable, corrosion-resistant and wear-resistant oxide layer. Anodization is possible in silver colour or copper colour.



Fabric

A colourful range of choice for shedloads of shade fun

Butter

Cup

Night

Blue

Paris

Red

Olive

Green

Terra

Cotta

Black

Widow

Lead

Grev

Standard range







Natural

White



Carbon

Grey

Acryl: 100% solution-dyed Weight: 290g/m²


Colourfastness: 7-8/8 (Standard ISO 105 B04) Waterproof: >300 mm water column

White

Sand

Maintenance: all fabrics can be washed and replaced

Premium range



Acryl: 100% solution-dyed Weight: 320g/m² Colourfastness: 7-8/8 (Standard ISO 105 B04) Waterproof: >360 mm water column Ultra Soft Treament Extra Layer Water Repellency Maintenance: all fabrics can be washed and replaced

UV filter - enjoy the sun safely

Ozone layer depletion has caused a reduction in filtering of ultraviolet rays. This, in turn, entails that prolonged, unprotected exposure to the sun poses increased health risks. All Prostor P6, P7 and P8 have the capacity to significantly reduce the penetration of UV rays and offer you and your children the highest protection from the harmful effects of sunrays (>95% of UV rays are filtered out).



> The Skin Cancer foundation recommends certain Acrylic as a part of your complete sun protection regime, including regular use of sunscreen.



This label certifies that the fabrics do not contain any toxic substances and do not present any health, skin or environmental hazards (Oeko-Tex 100).





>





100%

Water-repellent Mold Fade resistant & Stain proof resistant

Easv care

Protects

Colour from UV solution-dyed retention





Accessories

Protection, ease and maintenance



The deluxe watertight protection cover protects your umbrella from any and all weather conditions. The cover is made from grey or black solution-dyed polyester fabric.



Connecting several umbrellas is easy by using rain gutters with zippers.



Prostor CLEAN removes stains and odours from the umbrella fabric Prostor GUARD protects against stains and pollution and is water-repellent



The canopy can be printed with text and/ or logo.



Move your umbrella effortlessly thanks to caster wheels with brakes. Only for the P6 or P7 UNO umbrellas (max. weight capacity for 4 wheels: 320 kg).



The translucent screen offers protection against Covid-19 and your terrace surface is used in an optimal way.



The Prostor Repair kit is a unique transparent repair patch for repairing tears and holes in acrylic and polyester fabrics. It is extremely strong and very elastic. The Repair kit is a permanent solution for your umbrella fabric, allowing you to enjoy your umbrella even longer.

- > Extremely strong
- > Watertight
- > Airtight
- > Very elastic
- > Does not fade
- > Does not dry out

Accessories

LED lighting

When the sun goes down and dusk sets in, Power-LED lighting adds a new, intimately cozy dimension to your umbrella, allowing you to stay put and enjoy the day that little bit longer. The LEDs are installed at the center of the umbrella, with all wiring and steering hidden neatly in the frame and pole.






The 24V LEDs are fully integrated in the umbrella and can be completely dimmed.



Our RGB LED 24V allows you to create a specific atmosphere on your terrace. With the supplied remote control you can choose the desired color. The RGB LED is also dimmable.

Battery kit




External battery to enjoy the LED lighting without connecting to a 220V network. 8 to 12 hours autonomy, depending on the setup. Not for RGB.



Accessories

Heating



IP X5: completely protected against rain and waterspray. Up to 4 heaters can be mounted on one pole. The heater doesn't have to be removed when closing the umbrella. The heating never comes into contact with the fabric.

Single or double sockets can be mounted onto the pole.